

# SB-3 SAFETY BEAM

**LEES TECH**  
www.leestech.com

The SB-3 SAFETY BEAM is used as a safety device when fitted in conjunction with garage doors, roller doors, sliding gates, swinging gates and parking barriers

## FEATURES

- Enclosed in a weatherproof IP65 enclosure the SB-3 Safety Beam is insensitive to ambient light and resistant to tampering by unauthorised personnel
- SB-3 Safety Beam can be installed indoors or outdoors
- SB-3 transmitter and receiver are mounted in line of sight at a maximum distance of 10m apart. No calibration or sensitivity adjustments are necessary
- When the infrared beam is broken the relay de-energises. As the relay de-energises when the beam is broken (or the beam is not present as the result of a fault) the unit operates in the **FAIL SAFE** mode
- An LED indicator illuminates when the transmitter and receiver are aligned providing a valuable aid to correct installation and fault location



**Supply:** 12 - 24V AC/DC  
**Relay Contacts:** 5A 30V AC/DC  
**Dimensions:** 110mm H x 80mm W x 65mm D

**LEES TECHNOLOGY NZ LTD**

3E Tait Place, Albany, Auckland 0632, New Zealand  
Tel: 09 447 1093 | Fax: 09 447 1094 | Mobile: 021 737 962  
info@leestech.com

**Digi-Code**

**LEES TECHNOLOGY AUSTRALIA**

14 Christine Ave, Gold Coast, QLD 4226, Australia  
Tel: 07 5520 7178 | Mobile: 0420 904 780  
riki@leestech.com

**LEES TECH**  
www.leestech.com

**Motorpol**